

List of published papers based on Kaneka Aerospace products. Manuscripts are organized by the product designation.

SC-15

Nano-epoxy resins containing electrospun carbon nanofibers and the resulting hybrid multi-scale composites, Composites Part B: Engineering, Volume 58, March (2014), Pages 43-53 Qi Chen, Weidong Wu, Yong Zhao, Min Xi, Tao Xu, Hao Fong

Effect of low velocity impact responses on durability of conventional and nanophased CFRP composites exposed to seawater, Polymer Degradation and Stability, Volume 99, January (2014), Pages 180-189

Mohammad K. Hossain, Md. Mahmudur R. Chowdhury, Kazi A. Imran, Mahmud B. Salam, Arefin Tauhid, Mahesh Hosur, Shaik Jeelani

Effect of polyhedral-oligomeric-sil-sesquioxanes on thermal and mechanical behavior of SC-15 epoxy, eXPRESS Polymer Letters Vol.2, No.7 (2008) 494–501, I. K. Jones, Y. X. Zhou, S. Jeelani, J. M. Mabry

Finite element analysis of tile-reinforced composite structural armor subjected to bending loads Composites Part B: Engineering, Volume 35, Issue 1, January (2004), Pages 57-71, S. Mahdi, J.W. Gillespie

Investigation of the dispersion process of SWNTs/SC-15 epoxy resin nanocomposites, Materials Science and Engineering: A, Volume 385, Issues 1–2, 15 November (2004), Pages 175-181, Yu-Hsuan Liao, Olivier Marietta-Tondin, Zhiyong Liang, Chuck Zhang, Ben Wang

Tensile fracture and thermal conductivity characterization of toughened epoxy/CNT nanocomposites, Materials Science and Engineering: A, Volume 528, Issue 3, 25 January (2011), Pages 906-913, Anandh Balakrishnan, Mrinal C. Saha

Impact response of three-dimensional multifunctional sandwich composite, Materials Science and Engineering: A, Volume 472, Issues 1–2, 15 January (2008), Pages 52-58, A.S. Vaidya, U.K. Vaidya, N. Uddin

Smart tooling with integrated time domain reflectometry sensing line for non-invasive flow and cure monitoring during composites manufacturing, Composites Part A: Applied Science and Manufacturing, Volume 47, April (2013), Pages 102-108, Gaurav Pandey, Hope Deffor, Erik T. Thostenson, Dirk Heider

Hybrid multi-scale epoxy composite made of conventional carbon fiber fabrics with interlaminar regions containing electrospun carbon nanofiber mats, Composites Part A: Applied Science and Manufacturing, Volume 42, Issue 12, December (2011), Pages 2036-2042, Qi Chen, Lifeng Zhang, Arifur Rahman, Zhengping Zhou, Xiang-Fa Wu, Hao Fong

Influence of resin properties on interlaminar shear strength of glass/epoxy/MWNT hybrid composites, *Composites Part A: Applied Science and Manufacturing*, Volume 42, Issue 8, August (2011), Pages 1007-1016, V.C.S. Chandrasekaran, S.G. Advani, M.H. Santare

Impact response of integrated hollow core sandwich composite panels, *Composites Part A: Applied Science and Manufacturing*, Volume 31, Issue 8, August (2000), Pages 761-772, U.K Vaidya, M.V Hosur, D Earl, S Jeelani

Effect of punch and specimen dimensions on the confined compression behavior of S-2 glass/epoxy composites, *Composite Structures*, Volume 93, Issue 7, June (2011), Pages 1726-1737, A.F. Manzella, B.A. Gama, J.W. Gillespie Jr.

Inorganic–organic fiber sizings for enhanced energy absorption in glass fiber-reinforced composites intended for structural applications, *Composites Science and Technology*, Volume 66, Issues 3–4, March (2006), Pages 509-521, R.E. Jensen, S.H. McKnight

Multi-site impact response of S2-glass/epoxy composite laminates, *Composites Science and Technology*, Volume 69, Issue 6, May (2009), Pages 725-735, L.J. Deka, S.D. Bartus, U.K. Vaidya

Processing and performance of nanophased braided carbon/epoxy composites, *Materials Science and Engineering: B*, Volume 168, Issues 1–3, 15 April (2010), Pages 22-29, Mahesh V. Hosur, Md. Mazedul Islam, Shaik Jeelani

Impact performance of nanophased foam core sandwich composites, *Materials Science and Engineering: A*, Volume 498, Issues 1–2, 20 December (2008), Pages 100-109, M.V. Hosur, A.A. Mohammed, S. Zainuddin, S. Jeelani

Experimental and numerical investigations on flexural and thermal properties of nanoclay–epoxy nanocomposites, *Materials Science and Engineering: A*, Volume 527, Issues 29–30, 15 November (2010), Pages 7920-7926, S. Zainuddin, M.V. Hosur, Y. Zhou, Alfred T. Narteh, Ashok Kumar, S. Jeelani

Response of sandwich composites with nanophased cores under flexural loading, *Composites Part B: Engineering*, Volume 35, Issues 6–8, September–December (2004), Pages 543-550, Hassan Mahfuz, Muhammad S. Islam, Vijaya K. Rangari, Mrinal C. Saha, Shaik Jeelani

Testing and evaluation on the thermal and mechanical properties of carbon nano fiber reinforced SC-15 epoxy, *Materials Science and Engineering: A*, Volume 405, Issues 1–2, 25 September (2005), Pages 246-253, Farhana Pervin, Yuanxin Zhou, Vijaya K. Rangari, Shaik Jeelani

Simulation of fatigue failure in composite axial compressor blades, *Materials & Design*, Volume 32, Issue 4, April (2011), Pages 2058-2065, Qubo Li, Janusz Piechna, Norbert Müller

Role of processing on interlaminar shear strength enhancement of epoxy/glass fiber/multi-walled carbon nanotube hybrid composites, *Carbon*, Volume 48, Issue 13, November (2010), Pages 3692-3699, V.C.S. Chandrasekaran, S.G. Advani, M.H. Santare

Fabrication and mechanical properties of hybrid multi-scale epoxy composites reinforced with conventional carbon fiber fabrics surface-attached with electrospun carbon nanofiber mats, *Composites Part B: Engineering*, Volume 44, Issue 1, January (2013), Pages 1-7, Qi Chen, Yong Zhao, Zhengping Zhou, Arifur Rahman, Xiang-Fa Wu, Weidong Wu, Tao Xu, Hao Fong

Biologically inspired structural diagnostics through beam forming with phased transducer arrays, *International Journal of Engineering Science*, Volume 43, Issues 8–9, May (2005), Pages 756778, Shankar Sundararaman, Douglas E. Adams, Elias J. Rigas

Fabrication and mechanical characterization of carbon/SiC-epoxy nanocomposites, *Composite Structures*, Volume 67, Issue 1, January (2005), Pages 115-124, Nathaniel Chisholm, Hassan Mahfuz, Vijaya K. Rangari, Adnan Ashfaq, Shaik Jeelani

Numerical and experimental studies of damage generation in multi-layer composite materials at high strain rates, *International Journal of Impact Engineering*, Volume 34, Issue 2, February (2007), Pages 189-204, A. Tasdemirci, I.W. Hall

Influence of montmorillonite clay on the thermal and mechanical properties of conventional carbon fiber reinforced composites, *Journal of Materials Processing Technology*, Volume 191, Issues 1–3, 1 August (2007), Pages 347-351, Yuanxin Zhou, Farhana Pervin, Vijaya K. Rangari, Shaik Jeelani

Studies on the flexural and thermomechanical properties of woven carbon/nanoclay-epoxy laminates, *Materials Science and Engineering: A*, Volume 421, Issues 1–2, 15 April (2006), Pages 298-306, F.H. Chowdhury, M.V. Hosur, S. Jeelani

Thermal stability and degradation of diglycidyl ether of bisphenol A epoxy modified with different nanoclays exposed to UV radiation, *Polymer Degradation and Stability*, Volume 98, Issue 3, March (2013), Pages 759-770, Alfred Tcherbi-Narteh, Mahesh Hosur, Eldon Triggs, Shaik Jeelani

In situ multiscale analysis of fracture mechanisms in nanocomposites, *Composites Part B: Engineering*, Volume 42, Issue 5, July (2011), Pages 1157-1163, Benjamin P. Boesl, Gerald R. Bourne, Bhavani V. Sankar

Mechanical and electrical response of carbon nanotube-based fabric composites to Hopkinson bar loading, *Composites Science and Technology*, Volume 71, Issue 5, 22 March (2011), Pages 616-621, Amanda S. Lim, Qi An, Tsu-Wei Chou, Erik T. Thostenson

Effects of thermoplastic preforming binder on the properties of S2-glass fabric reinforced epoxy composites, *International Journal of Adhesion and Adhesives*, Volume 21, Issue 3 (2001), Pages 187-195, M. Tanoglu, S. Robert, D. Heider, S.H. McKnight, V. Brachos, J.W. Gillespie Jr.

Improvement in mechanical properties of carbon fabric–epoxy composite using carbon nanofibers, *Journal of Materials Processing Technology*, Volume 198, Issues 1–3, 3 March (2008), Pages 445-453, Yuanxin Zhou, Farhana Pervin, Shaik Jeelani, P.K. Mallick

Hybrid multi-scale composites developed from glass microfiber fabrics and nano-epoxy resins containing electrospun glass nanofibers, *Composites Part B: Engineering*, Volume 43, Issue 2, March (2012), Pages 309-316, Qi Chen, Lifeng Zhang, Yong Zhao, Xiang-Fa Wu, Hao Fong

Size reduction of WO_3 nanoparticles by ultrasound irradiation and its applications in structural nanocomposites, *Composites Science and Technology*, Volume 69, Issue 14, November (2009), Pages 2293-2300, Vijaya K. Rangari, Tarig A. Hassan, Quentin Mayo, Shaik Jeelani

Processing of nanoclay filled sandwich composites and their response to low-velocity impact loading, *Composite Structures*, Volume 82, Issue 1, January (2008), Pages 101-116, M.V. Hosur, A.A. Mohammed, S. Zainuddin, S. Jeelani

High strain rate mechanical behavior of seashell-mimetic composites: Analytical model formulation and validation, *Mechanics of Materials*, Volume 55, December (2012), Pages 102-111, Abhishek Dutta, Andy Vanderklok, Srinivasan Arjun Tekalur

Fabrication and evaluation of carbon nano fiber filled carbon/epoxy composite, *Materials Science and Engineering: A*, Volume 426, Issues 1–2, 25 June (2006), Pages 221-228, Yuanxin Zhou, Farhana Pervin, Vijaya K. Rangari, Shaik Jeelani

Nonlinear constitutive equation for vapor-grown carbon nanofiber-reinforced SC-15 epoxy at different strain rate, *Materials Science and Engineering: A*, Volume 465, Issues 1–2, 15 September (2007), Pages 238-246, Yuanxin Zhou, Sajedur Rahman Akanda, Shaik Jeelani, Thomas E. Lacy

Effect of projectile shape during ballistic perforation of VARTM carbon/epoxy composite panels, *Composite Structures*, Volume 61, Issues 1–2, July (2003), Pages 143-150, C. Ulven, U.K Vaidya, M.V Hosur

Nonlinear constitutive equation for temperature degraded unidirectional carbon fiber reinforced epoxy, *Materials Letters*, Volume 62, Issues 21–22, 15 August (2008), Pages 3659-3662, B. Dey, Yuanxin Zhou, Shaik Jeelani, Ashok Kumar, L.D. Stephenson

Low-velocity impact response of sandwich composites with nanophased foam core and biaxial braided face sheets, *Composites Part B: Engineering*, Volume 40, Issue 6, September (2009), Pages 561-571, Md.A. Bhuiyan, M.V. Hosur, S. Jeelani

Effect of particle size and weight fraction on the flexural strength and failure mode of TiO₂ particles reinforced epoxy, *Materials Letters*, Volume 64, Issue 7, 15 April (2010), Pages 806809, Yuanxin Zhou, Evert White, Mahesh Hosur, Shaik Jeelani

Fabrication and characterization of montmorillonite clay-filled SC-15 epoxy, *Materials Letters*, Volume 60, Issue 7, April (2006), Pages 869-873, Yuanxin Zhou, Farhana Pervin, Mohammad A. Biswas, Vijaya K. Rangari, Shaik Jeelani

Improvements in mechanical and thermo-mechanical properties of e-glass/epoxy composites using amino functionalized MWCNTs, *Composite Structures*, Volume 94, Issue 8, July (2012), Pages 2397-2406, M.M. Rahman, S. Zainuddin, M.V. Hosur, J.E. Malone, M.B.A. Salam, Ashok Kumar, S. Jeelani

Synthetic staggered architecture composites, *Materials & Design*, Volume 46, April (2013), Pages 802-808, Abhishek Dutta, Srinivasan Arjun Tekalur

Durability studies of montmorillonite clay filled epoxy composites under different environmental conditions, *Materials Science and Engineering: A*, Volume 507, Issues 1–2, 15 May (2009), Pages 117-123, S. Zainuddin, M.V. Hosur, Y. Zhou, Ashok Kumar, S. Jeelani

Processing and performance evaluation of hollow microspheres filled epoxy composites, *Polymer Composites*, Volume 29, Issue 3, March (2008), Pages 293–301, Mrinal C. Saha, Sabrina Nilufar, Mosi Major and Shaik Jeelani

Nanoclay-reinforced syntactic foams: Flexure and thermal behavior, *Polymer Composites*, Volume 31, Issue 8, August (2010), Pages 1332–1342, Mrinal C. Saha and Sabrina Nilufar

Thermal degradation analysis of thermoset resins, *Journal of Applied Polymer Science*, Volume 114, Issue 3, 1 November (2009), Pages 1417–1425, Amit Chatterjee

Infusion of SiC Nanoparticles Into SC-15 Epoxy: An Investigation of Thermal and Mechanical Response, *Macromolecular Materials and Engineering*, Volume 290, Issue 5, May 23 (2005), Pages 423–429, René M. Rodgers, Hassan Mahfuz, Vijaya K. Rangari, Nathaniel Chisholm and Shaik Jeelani

Preparation and evaluation of nano-epoxy composite resins containing electrospun glass nanofibers, *Journal of Applied Polymer Science*, Volume 124, Issue 1, 5 April (2012), Pages

444–451, Qi Chen, Lifeng Zhang, Myung-Keun Yoon, Xiang-Fa Wu, Ragib H. Arefin and Hao Fong

A Comparison of Oven-cured and Induction-cured Adhesively Bonded Composite Joints, *Journal of Composite Materials*, vol. 37, 6 March (2003), pages 519-542, S. Mahdi, H.-J. Kim, B. A. Gama, S. Yarlagadda, J. W. Gillespie, Jr.

Experimental and numerical characterizations of flexural behavior of VARTM-infused composite sandwich structures, *Journal of Reinforced Plastics and Composites*, vol. 31, 2 January (2012), pages 67-76, R. Umer, E.M. Waggy, M. Haq, A.C. Loos

Effects of ultraviolet radiation and condensation on static and dynamic compression behavior of neat and nanoclay infused epoxy/glass composites, *Journal of Composite Materials*, vol. 45, 18 August (2011), pages 1901-1918, S. Zainuddin, M.V. Hosur, R. Barua, Ashok Kumar, S. Jeelani

Processing of Nanoclay Filled Sandwich Composites and their Response to Impact Loading, *Journal of Reinforced Plastics and Composites*, vol. 27, 8 May (2008), pages 797-818, M.V. Hosur, A.A. Mohammed, S. Jeelani

Low-Velocity Impact Response and Ultrasonic NDE of Woven Carbon/ Epoxy—Nanoclay Nanocomposites, *Journal of Composite Materials*, vol. 41, 18 September (2007), pages 2195-2212, Mahesh V. Hosur, Farhan Chowdhury, Shaik Jeelani

Effect of Loading and Surface Modification of MWCNTs on the Fracture Behavior of Epoxy Nanocomposites, *Journal of Reinforced Plastics and Composites*, vol. 25, 2 January (2006), pages 175-188, S. Ganguli, H. Aglan, P. Dennig, G. Irvin

Experimental and Modeling Studies of Stress Wave Propagation in Multilayer Composite Materials: Low Modulus Interlayer Effects, *Journal of Composite Materials*, vol. 39, 11 June (2005), pages 981-1005, A. Tasmirci and I. W. Hall

High Strain Rate Response of Sandwich Composites with Nanophased Cores, *Applied Composite Materials*, 12, (2005), pages 193-211, Hassan Mahfuz, Mohammed F. Uddin, Vijaya K. Rangari, Mrinal C. Saha, Shaik Zainuddin, Shaik Jeelani

Chapter 2. On the Use of Electrical Conductivity for the Assessment of Damage in Carbon Nanotubes Enhanced Aerospace Composites, Antonios I. Vavouliotis, Vassilis Kostopoulos, in *Carbon Nanotube Enhanced Aerospace Composite Materials, Solid Mechanics and its Applications*, A.S.Paipetis, [Vassilis Kostopoulos](#) (eds.) (2013), Springer Science+Business Media Dordrecht 2013

Integral Manufacturing of Composite Skin-Stringer Assembly and Their Stability Analyses, *Applied Composite Materials*, 11, (2004), pages 155-171, Hassan Mahfuz, Prasun Majumdar, Mrinal Saha, Frederick Shamery, Shaik Jeelani

Effect vapor grown carbon nanofiber on thermal and mechanical properties of epoxy, *Journal of Materials Science*, 42, (2007), pages 7544–7553, Yuanxin Zhou, Farhana Pervin, Shaik Jeelani

Single and Multisite Impact Response of S2-Glass/Epoxy Balsa Wood Core Sandwich Composites, Uday K. Vaidya, Lakshya J. Deka in *Major Accomplishments in Composite Materials and Sandwich Structures: An Anthology of ONR Sponsored Research*, I.M. Daniel et al (eds.) Springer Science+Business Media B.V. (2009)

Fabrication and characterization of carbon fiber reinforced clay/epoxy composite, *Journal of Materials Science*, 47,(2012), pages 5002–5012, Yuanxin Zhou, Mahesh Hosur, Shaik Jeelani, P. K. Mallick

Cost-Effective Manufacturing of Damage-Tolerant Integral Armor, Army Research Laboratory, ARL-TR-2319, September (2000), Fink, B.k., Gillespie, J.W. Jr.

Cure Schedule Evaluation of SC-15 and SC-79 Low Viscosity Epoxy VARTM Resins, Army Research Laboratory, ARL-TN-249, November (2005), Robert Jensen, Aaron Forster, Jessica Dibelka, and Craig Copeland

Viscoelastic and thermal properties of full and partially cured DGEBA epoxy resin composites modified with montmorillonite nanoclay exposed to UV radiation, *Polymer Degradation and Stability*, Volume 101, March (2014), Pages 81-91, Alfred Tcherbi-Narteh, Mahesh Hosur, Eldon Triggs, Peter Owuor, Shaik Jelaani

The Effect of Penetrator Geometry on the Dynamic Response of Woven Graphite/Epoxy Composites, *JMEPEG* (2014) 23:833–842, Sylvanus N. Wosu, Qiaoyun Xie

SC-15 & SC-11

Compressive response of glass fiber composite sandwich structures, *Composites Part A: Applied Science and Manufacturing*, Volume 54, November (2013), Pages 88-97, A.J. Malcom, M.T. Aronson, V.S. Deshpande, H.N.G. Wadley

Effect of the manufacturing process on the interfacial properties and structural performance of multi-functional composite structures, *Composites Part A: Applied Science and Manufacturing*, Volume 34, Issue 7, July (2003), Pages 635-647, S. Mahdi, B.A. Gama, S. Yarlagadda, J.W. Gillespie Jr.

Structural Repair of Composite Structural Armor, *Journal of Composite Materials*, vol. 39, 19 October (2005), pages 1695-1717, S. Mahdi, B. A. Gama, S. Yarlagadda, J. W. Gillespie, JR.

SC-79

Experimental and numerical study of the effective thermal conductivity of nano composites with thermal boundary resistance, *International Journal of Heat and Mass Transfer*, Volume 66, November (2013), Pages 823-829, Rushabh Kothari, C.T. Sun, Ralph Dinwiddie, Hsin Wang

Strength of unidirectional glass/epoxy composite with silica nanoparticle-enhanced matrix, *Composites Science and Technology*, Volume 68, Issues 7–8, June (2008), Pages 1637-1643, Mohammed F. Uddin, C.T. Sun

Improved dispersion and mechanical properties of hybrid nanocomposites, *Composites Science and Technology*, Volume 70, Issue 2, February (2010), Pages 223-230, M.F. Uddin, C.T. Sun

Drop-weight impact of plain-woven hybrid glass–graphite/toughened epoxy composites, *Composites Part A: Applied Science and Manufacturing*, Volume 40, Issue 8, August (2009), Pages 1090-1110, Ercan Sevkat, Benjamin Liaw, Feridun Delale, Basavaraju B. Raju

Fabrication and characterization of TiO₂–epoxy nanocomposite, *Materials Science and Engineering: A*, Volume 487, Issues 1–2, 25 July (2008), Pages 574-585, Amit Chatterjee, Muhammad S. Islam

Effect of repeated impacts on the response of plain-woven hybrid composites, *Composites Part B: Engineering*, Volume 41, Issue 5, July (2010), Pages 403-413, Ercan Sevkat, Benjamin Liaw, Feridun Delale, Basavaraju B. Raju

Experimental and numerical approaches for estimating ballistic limit velocities of woven composite beams, *International Journal of Impact Engineering*, Volume 45, July (2012), Pages 16-27, Ercan Sevkat

Characterization of nanosilica-filled epoxy composites for electrical and insulation applications, *Journal of Applied Polymer Science*, Volume 121, Issue 5, 5 September (2011), Pages 2752–2760, M. G. Veena, N. M. Renukappa, J. M. Raj, C. Ranganathaiah and K. N. Shivakumar

Fabrication of structural composites from waste carpet, *Advances in Polymer Technology*, Volume 31, Issue 4, Winter (2012), Pages 380–389, Abhishek Jain, Gajendra Pandey, Abhishek K. Singh, Vasudevan Rajagopalan, Ranji Vaidyanathan and Raman P. Singh

Tribological and electrical properties of silica-filled epoxy nanocomposites, *Polymer Composites*, Volume 32, Issue 12, December (2011), Pages 2038–2050, M.G. Veena, N.M. Renukappa, B. Suresha and K.N. Shivakumar

Ballistic performance of hybrid and non-hybrid composite plates, *The Journal of Strain Analysis for Engineering Design*, vol. 47, 7 October 2012, pages 453-470, Ercan Sevkat, Benjamin Liaw, Feridun Delale

Effect of Nanoparticle Dispersion on Polymer Matrix and their Fiber Nanocomposites, Mohammed F. Uddin, Chin-Teh Sun, in Major Accomplishments in Composite Materials and Sandwich Structures: An Anthology of ONR Sponsored Research, I.M. Daniel et al (eds.) Springer Science+Business Media B.V. (2009)

SC-15 & SC-79

Nanosilica Modification of Elastomer-Modified VARTM Epoxy Resins for Improved Resin and Composite Toughness, Jason Robinette, Andres Bujanda, Daniel DeSchepper, Jessica Dibelka, Phillip Costanzo, Robert Jensen, and Steven McKnight, Army Research Laboratory, ARL-TR-4084, April 2007

E-Beam

Low energy electron beam curing for thick composite production, Composites Part A: Applied Science and Manufacturing, Volume 28, Issue 11, (1997), Pages 965-969, F. Guasti, E. Rosi

Electron processing of fibre-reinforced advanced composites, Radiation Physics and Chemistry, Volume 48, Issue 2, August (1996), Pages 153-170, Ajit Singh, Chris B. Saunders, John W. Barnard, Vince J. Lopata, Walter Kremers, Tom E. McDougall, Minda Chung, Miyoko Tateishi

Electron Beam, (2011), Pages 115-124, 126-129, Felipe Wolff-Fabris, Volker Altstädt, Ulrich Arnold, Manfred Döring

Electron beam curing of composites in North America , Radiation Physics and Chemistry, Volume 63, Issues 3–6, March (2002), Pages 551-556, Anthony J Berejka, Cliff Eberle

The influence of electronbeam parameters on the conversion of epoxies. Proceedings of the 32nd International SAMPE Technical Conference, Vol. 32, (2000), page 717-, Vorobyev, L., Korenev, S.

An emerging technology to cure fiber-reinforced composites: Electron curing, Advanced Performance Materials, 3, (1996),pages 57-73, Ajit Singh, Chris B. Saunders, Vince J. Lopata, Walter Kremmers, Tom E. McDougall, Miyoko Tateishi, Minda Chung

Thermally-cured and e-beam-cured epoxy layered-silicate nanocomposites, Polymer Bulletin 49,pages 473-480 (2003), Chenggang Chen, David Curliss

Other Kaneka Aerospace Resin Systems

Flame retardant aircraft epoxy resins containing phosphorus, Polymer, Volume 46, Issue 14, 27 June (2005), Pages 5012-5024, Paul M. Hergenrother, Craig M. Thompson, Joseph G. Smith Jr, John W. Connell, Jeffrey A. Hinkley, Richard E. Lyon, Richard Moulton

Commercial Products for VARTM Structural Aerospace Applications, International SAMPE Symposium and Exhibition: 50 (New Horizons for Materials and Processing Technologies), Long Beach, May (2005) pages 784-791, Dixon, D., Moulton, R., Hayes, B., Mortimer, S., Martin, C.

Towards rapid screening of new composite matrix resins, Composites Science and Technology, Volume 66, Issues 11–12, September (2006), Pages 1651-1670, Thomas K. Tsotsis, Kevin L. Rugg, Brian N. Cox

Monte Carlo simulation on tensile failure process of unidirectional carbon fiber reinforced nanophased epoxy, Materials Science and Engineering: A, Volume 420, Issues 1–2, 25 March (2006), Pages 63-71, Yuanxin Zhou, Mohammed A. Baseer, Hassan Mahfuz, Shaik Jeelani

Mechanical characterization of epoxy composites modified with reactive polyol diluent and randomly-oriented amino-functionalized MWCNTs, Polymer Testing, Volume 31, Issue 8, December (2012), Pages 1083-1093, Muhammad M. Rahman, Mahesh Hosur, Shaik Zainuddin, Kailash C. Jajam, Hareesh V. Tippur, Shaik Jeelani

SAMPE encompasses diversity of materials and processing innovations, Reinforced Plastics, Volume 49, Issue 7, July–August (2005), Pages 60-63, Vicki P. McConnell

Fatigue damage development in new fibre metal laminates made by the VARTM process,

Fatigue & Fracture of Engineering Materials & Structures, Volume 34, Issue 4, April (2011), Pages 240–249, E. K. Baumert, W. S. Johnson, R. J. Cano, B. J. Jensen and E. S. Weiser

Room temperature-curable VARTM epoxy resins: Promising alternative to vinyl ester resins, Journal of Applied Polymer Science, Volume 115, Issue 2, 15 January (2010), Pages 665–673, Amit Chatterjee and John W. Gillespie Jr.

Moisture absorption behavior of epoxies and their S₂ glass composites, Journal of Applied Polymer Science, Volume 108, Issue 6, 15 June (2008), Pages 3942–3951, Amit Chatterjee and John W. Gillespie Jr.

Effect of processing techniques on the performance of Epoxy/MWCNT nanocomposites, Journal of Applied Polymer Science, Volume 127, Issue 6, 15 March (2013), Pages 4211–4224, Mahesh Hosur, Rajib Barua, Shaik Zainuddin, Ashok Kumar, Jonathan Trovillion and Shaik Jeelani

Pyrolyzed chicken feather fibers for biobased composite reinforcement, Journal of Applied Polymer Science, Volume 128, Issue 2, 15 April (2013), Pages 983–989, Erman Senoz, Joseph F. Stanzione III, Kaleigh H. Reno, Richard P. Wool and Melissa E. N. Miller

Interlayer toughening of composite materials, Polymer Composites, Volume 30, Issue 1, January (2009), Pages 70–86, Thomas K. Tsotsis

E-beam-cured layered-silicate and spherical silica epoxy nanocomposites, *Journal of Applied Polymer Science*, Volume 106, Issue 3, 5 November (2007), Pages 2132–2139, Chenggang Chen and David P. Anderson

Resin infusion of triaxially braided preforms with through-the-thickness reinforcement, *Polymer Composites*, Volume 24, Issue 2, April (2003), Pages 229–236, Jay R. Sayre and Alfred C. Loos

Effect of multiple non-coincident impacts on residual properties of glass/epoxy laminates, *Journal of Reinforced Plastics and Composites*, vol. 31, 12 June (2012), pages 815-827, Kevin Cromer, John W. Gillespie, Jr., Michael Keefe

Chapter 3. Environmental Degradation of Interlaminar Shear Strength in Carbon/Epoxy Composites, Avinash Reddy Akepati, Abilash R. Nair, Samit Roy, Anwarul Haque, Piyush K. Dutta, Ashok Kumar, in *Fiber Reinforced Polymer (FRP) Composites for Infrastructure Applications, Strategies for Sustainability* (2012), R. Jain and L. Lee (eds.), Springer Science+Business Media B.V. 2012

Chapter 4. Predicting Hygrothermal Degradation of Composites in Accelerated Testing, Jonathan Trovillion, in *Fiber Reinforced Polymer (FRP) Composites for Infrastructure Applications, Strategies for Sustainability* (2012), R. Jain and L. Lee (eds.), Springer Science+Business Media B.V. 2012

Chapter 10. Characterization and Modeling of Polymeric Matrix Under Static and Dynamic Loading, Brian T. Werner, Isaac M. Daniel, in *Dynamic Behavior of Materials, Volume 1: Proceedings of the 2012 Annual Conference on Experimental and Applied Mechanics*, V. Chalivendra (eds.) (2013)

Investigations on the thermal and flexural properties of plain weave carbon/epoxy-nanoclay composites by hand-layup technique, *Journal of Materials Science*, 42, (2007), pages 2690–2700, F. H. Chowdhury, M. V. Hosur, S. Jeelani

Toughened VARTM Resins Using Epoxy-Rubber Adducts, *International SAMPE Technical Conference*, 32, Boston, November (2000), pages 294-303, Hayes, B. S., Gilbert, E. N. , Seferis, J. C., Moulton, R., and Dixon, D.

16 - Nanotechnology Based Thermosets, *Handbook of Thermoset Plastics (Third Edition)*, 2014, Pages 623-695, Olga Shepelev, Sam Kenig, Hanna Dodiuk

Hybrid core carbon fiber composite sandwich panels: Fabrication and mechanical response, *Composite Structures*, Volume 108, February (2014), Pages 696-710, Tochukwu George, Vikram S. Deshpande, Keith Sharp, Haydn N.G. Wadley



KANEKA AEROSPACE LLC

Comments & Questions: Please call 707 747 6738 or email at services.KAE@kaneka.com

This information is for educational purposes only. Kaneka Aerospace does not take any responsibility for actions made by any party by or from the utilization of information contained in this document.

